

0.6

0.5

0.3

0.2

0.1

0.6

).4

.3

.2

Shree Dhootapapeshwar Standards

YACRUJJAY

Monograph No. - 0703684 ver 3.0

Issue No: 03 Date of Issue: 26/04/2023 Text Reference : Ayurvedic Proprietary Medicine Amendment No : 01 Amendment Date : 26/12/2023 Shelf Life: 3 years

Description	Yellow to orange coloured biconvex film coated having SDL mark on one s	tablets	
Loss on Drying at 105 [°]	Not more than 8 % w/w	annes PL	ccés
Friability	Not more than 1 % w/w		
Disintegration Time	Not more than 60 min.	Yacr	UJJAY Tablets
Hardness	Not less than 2.5 kg/cm ²	c	Ithy liver function
Thickness	5.5 <u>+</u> 0.5 mm		
Diameter	12.0 <u>+</u> 0.5 mm	Net Quantity:	
Average Weight	660 mg <u>+</u> 5%	30 Tablets	
Uniformity of weight of 20 tablets	Not more than 2 tablets deviate by more than 5% of the average weight and none by more than 10% of the average weight.		
Ash	Not more than 25 % w/w		
Acid insoluble ash	Not more than 7 % w/w		
Water soluble extractive	Not less than 40 % w/w		
Alcohol soluble extractive	Not less than 10 % w/w		
pH (1% Aq. solution)	4.0 - 6.5		
Thin Layer Chromatography Mobile Phase	Toluene:Ethyl acetate:Formic acid (7 : 3 : 0.3)		
Details	Solvent of Extraction – Methanol		
Yacrujjay Tablet	Distance travelled by solvent front – 90mm		
	Total No. of Major spots - 6		
0.9	Detection – After spray with Anisaldehyde Sulfuric acid		
0.8	Major Spots	Colour	Approx. Rf.
0.7			

• •		••
1	Gray	0.12
2	Red	0.27
3	Pink	0.37
4	Violet	0.52
5	Pink	0.64
6	Pink	0.95


1

Confidential – photocopy prohibited

Note : † : These extra tests can be performed on every batch at extra cost. Tests can be ascertained on request.




Shree Dhootapapeshwar Standards




3D Peak Display of Yacrujjay at 540 nm

HPTLC Profile


i) Total Polyphenols (as Gallic acid & Ellagic acid) When examined in the range of 200 nm to 400 nm, the test solution shows absorption maxima at about 290 nm for Gallic acid & 278 nm for Ellagic acid corresponding with Gallic acid & Ellagic acid standard.






ii) Ursolic acid

When examined in the range of 400 nm to 700 nm, the test solution shows absorption maxima at about 540 nm corresponding with Ursolic acid standard.





Confidential - photocopy prohibited


Note : † : These extra tests can be performed on every batch at extra cost. Tests can be ascertained on request.




Shree Dhootapapeshwar Standards

iii) Boeravinone


When examined in the range of 200 nm to 400 nm, the test solution shows absorption maxima at about 280 nm for Boeravinone B corresponding with Boeravinone B standard.






iv) Picroside I & II

When examined in the range of 200 nm to 400 nm, the test solution shows absorption maxima at about 285 nm for Picroside I & 266 nm for Picroside II corresponding with Picroside I & Picroside II standard.





Heavy metal

Lead (Pb)	NMT 10 ppm
Mercury (Hg)	NMT 1 ppm
Arsenic (As)	NMT 3 ppm
Cadmium (Cd)	NMT 0.3 ppm
E. coli	Absent/g
P. aeruginosa	Absent/g
Salmonella sp.	Absent/g
Staphylococcus sp.	Absent/g
Total Microbial plate count (TPC)	NMT 10 ⁵ c.f.u./g
Total Yeast & Mould Count (TYMC)	NMT 10 ³ c.f.u./g
Pesticide Residue ⁺ (OC+OP)	Complies as per API
Aflatoxins B1,B2,G1,G2 ⁺	Complies as per API

Confidential - photocopy prohibited

Note : [†] : These extra tests can be performed on every batch at extra cost. Tests can be ascertained on request.