






# Product Information Booklet











आयःकामयमानेन धर्मार्थसुखसाधनम्। आयुर्वेदोपदेशेषु विधेयः परमादरः॥ अ.इ.स.१/२

'Knowledge to achieve meaning *Dharma*, prosperity *Artha* and happiness *Sukha* one must follow the guidelines of Ayurved - the Science of Life.'

Perfecting the science of Ayurved for over 150 years Shree Dhootapapeshwar Limited has distilled wisdom, experience and expertise in the crucible of ancient knowledge to ceaselessly deliver - Health and Happiness through Ayurved and will continue to do so forever.

Our journey began with *Vd. Krushnashastri Puranik* who pioneered the art of scale up production without losing out on the essence of Ayurved. Successive generations built steadfastly on the reputation of quality and added sophistication as a true testimony to ancient Ayurved prescriptions. The legacy of excellence continues with the organization emerging as one of the finest in Ayurved classical manufacturers which boasts of Standardised, Safe, Authentic and Efficacious range over 350+ compounds. In-house Quality compendium 'Shree Dhootapapeshwar Standards' (SDS) serves as a guarantee for patients and a warranty for Ayurved Physicians.

Today as Shree Dhootapapeshwar Limited celebrates 150 years, the Company is a benchmark of quality. ImmSDL now with scholars, scientists, Ayurved Physicians and allied sciences reaffirm the founders vision of world with Health, Happiness, Ayurved... forever







# Shree Dhootapapeshwar Limited

A successful tradition of manufacturing Ayurved medicine for over 150 years.

ISO 9001: 2015 and GMP certified manufacturing facility.

Certified Drug Testing Laboratory with Modern Technology.

CPCSEA certified Animal House for Safety and other Pharmaceutical studies.

Research and Development unit registered with DSIR

Manufactures more than 400 Granthokta, Standardised and Safe Ayurved Medicines.

All medicines standardised on Ayurved and Modern Parameters.

First Ayurved Company in the world which has provided QR code on product label to view Quality Monograph available on website.

Continuous efforts towards establishing Safety of Bhasma and Rasaushadhi.

Availability of medicines in India, Srilanka, Nepal etc.

Collaboration with eminent institutions such as NIA – Jaipur,
KEM – Mumbai, IIT – Mumbai, Parul university for successful completion
of experimental and clinical trials.








Shree Dhootapapeshwar



# Standardisation

Standards



verything is being standardised today whether its an object, food or may it be an Ayurvedic medicine. Standardisation is extremely essential in order to deliver the user proper quality end product.

Chemical laboratory of **Shree Dhootapapeshwar Limited** is established way back in early 1950's to maintain the authenticity of Ayurved medicines, to balance in between the ingredients and their properties as well as to avail the Ayurved medicines all the time for use.

Some opinions say that, there is no need of standardisation of Ayurved medicines which is applicable to modern medicines.

Shree Dhootapapeshwar Limited has always given importance to standardisation. Standardisation not only helps in quality assurance of the ingredient in any medicines but also helps examine dose of the drug remain in the same form in all sets or not. It also helps understand whether the formulated medicines will remain in same state, are there any changes getting developed after specific time, if yes, then what are the changes and causes for that along with finding out the solutions depending upon the situation. It is mandatory to have the knowledge about the changes developed due to the Sanskar like Shodhan etc. of the ingredients, whether there is uniformity in the Sanskar or not? e. g. Samanya Shodhan of Guggul along with





the Vishesh Shodhan with disease specific Dravya enhanced the efficacy of Guggul as well as reduced the irritancy. Chemical laboratory is the only media through which we are able to understand increased beneficial properties after following the Shastravachan (text). Rasakalpa and Bhasma are very important in Ayurved. Suvarnadi Rasadhatu, Parad, Gandhak etc. are specially used in the production of Rasakalpa and Bhasma. Inappropriate Shodhan and Maran Sanskar of these ingredients may develop harm to the body. Standardisation is an inevitable process to know whether these Sanskar have been performed in appropriate manner or not. Shree Dhootapapeshwar Limited is keen for Standardisation of these Bhasma and Rasakalpa both on Ayurved as well as Modern parameters.

This Laboratory of **Shree Dhootapapeshwar Limited** is awarded with N.A.B.L. accreditation. This laboratory has facilities of modern tests such as Atomic Absorption Spectrophotometer, H.P.T.L.C., Gas Chromatography etc.


Shree Dhootapapeshwar Limited has developed its 'Shree Dhootapapeshwar Standards' with the help of this laboratory. These standards are applicable at every level of manufacturing from the crude ingredient to the end product. This makes all the products of Shree Dhootapapeshwar Limited Authentic, Standardised, Safe and Efficacious. All the medicines of Shree Dhootapapeshwar Limited are made available in market only after standardization of every batch.

**Shree Dhootapapeshwar Limited** has provided every product with its monograph on our website **www.sdlindia.com** for everyone to get the information. This is nation's first Ayurved Company which has made the product monograph available to the consumer for transparency.

















- Ayurvedic Super Speciality Products
  - Patent & Proprietary Products
- Guggulkalpa
- Pravahi Kalpa





# Beeipushti Rasa™

### An excellent Prajajanan & Vajikaran Aushadhi

#### Effective in:

· Male infertility due to

Shape Rhardon was been Standards S DS Wemopraph No. 100/3654

Beeingsmi Ross

- Alpa Shukra
- Dushta Shukra
- Ksheena Shukra
- Vishushka Shukra



1 to 2 Tablets once or twice a day with Godugdha.



# Hrudroga Chintamani Rasa® **Protects Heart and Prolongs Life**

# Effective in:

- Hrudroga
- Hruddrava
- Avasen Shwas (Dyspnea on exertion)
- Hrudshoola
- Hrud Dourbalva
- Dhamani Pratichay (Atherosclerosis)



#### Dosage & Anupan:

1 to 2 Tablets, once or twice a day with Dashamoolarishta, Arjunarishta, Cow milk, Honey or Lukewarm water.

# Kas Shwas Hari Rasa

### A Pranavaha Srotas Balya Kalpa

#### Effective in:

- Pranavaha Srotas Vikar
  - Shwas - Allergic Cold and Cough
  - Kas - Jeerna Pratishyay



#### Dosage & Anupan:

1 to 2 Tablets once or twice a day with Ardrak Swarasa, Tulasi Swarasa, Goghruta, Honey or Lukewarm water,

# Madhumeha Kusumakar Rasa®

### Uttam Pramehahari and Rasayana Chikitsa

#### Effective in:

- · Madhumeha and related upadrava
  - Madhumehajanya Netravikar
  - Non-healing wounds
- Indriya Shaithilya



Dourbalya



Dosage & Anupan:

1 to 2 Tablets, once or twice a day with Cow Ghee or Lukewarm water.







# Medhasagar Rasa®



### A Comprehensive Medhya Rasayana to Preserve Brain Functions

#### Effective in-

Smruti-buddhibhransha associated with Jara and Madatyava as a Medhya Rasavana to support healthy brain functions.

Dosage:

1 to 2 Tablets twice a day after food with Godugdha Goghruta or lukewarm water.



# Pittashekhar Rasa®

#### An Ideal Treatment for Parinamshoola

#### Effective in:

- Agnimandva
- Shirashoola
- Grahani

- Aieerna
- Ardhavabhedaka
   Parinamshoola
- Hrullasa Chhardi

#### Dosage & Anupan:

1 to 2 Tablets, twice or thrice a day with Godugdha, Amla Muramba or Lukewarm water.



# Rasarajeshwar Rasa®

# Time tested Rasayan for various types of Vatavyadhi

#### Effective in:

- Ardita
- Hanustambha
- Hasta-Pada Chimchimavan
- Manyastambha
- Manyashoola Katishoola
- Shirokampa
- Rigidity in Parkinson's disease
- Pakshaghat



1 to 2 tablets once or twice a day with Dashamoolarishta, Balarishta, Maharasnadi Kadha, Ashvagandharishta or lukewarm water.



# Shishu Bharan Rasa™

#### Effective in:

#### · Ensuring child's

- Normal growth
- Physical, Mental and Intellectual development
- For All-Round Growth and Development

- Strong Immunity

- Trouble - free teething





Children-Upto 2 years: 1 Tablet once a day.

2 to 5 years: 1 Tablet twice a day & Above 5 years: 2 Tablets twice a day.







# Stree Vyadhihari Rasa™

Useful in Female Infertility due to Beeja Vikruti

#### Effective in-

- Irregular menstruation
- · Lakshana related to PCOS
  - Anartava Sthoulva Vandhvatva



#### Dosage & Anupan :

1 to 2 Tablets twice or thrice a day with Kumari Asava No.1 or Lukewarm water.



# Medhasagar Rasa®

A Comprehensive Medhya Rasayana to Preserve Brain Functions



ताराभ्रकं मृतं यष्टी मण्डूकयर्णी हरिद्रिका।।
अश्वगन्धामृता शंखपुष्पी युक्तो मेधासागरः।
रसोऽयं उत्तमः त्रिदोषशामकः स्मृतिप्रदः।।
तीक्ष्णबुद्धिप्रदः उत्तमो वयःस्थापकः।

मेथां रक्षति विशेषेण वृद्धेषु च प्रशंसितः।।

महाकल्याणवटी चैव स्मृतिसागररसस्तथा।





Madatyaya.

Dosage & Anupana:

As a Medhya Rasayana to support healthy brain functions in Smruti-buddhibhransha associated with Jara and

1 to 2 Tablets twice a day after food with milk or lukewarm water or as directed by the Physician.

Availability: 30 Tabs. (Blister Pack)







### **Effective in Asthibhagna**

#### Indications:

- Asthibhagna
- Asthisousheerva
- Sandhigata vata
- Prushthashoola
- Katishoola
- Manyashoola

#### Dosage & Anupan :

2-4 tablets twice or thrice a day with Dashamoolarishta. cow milk or lukewarm water, preferably after meals.



# Amrutadi Guggul

### Effective in Sravi Tyacha Vikar

#### Indications:

- Sravi Tvachavikar like Pama
- Mandal and Vicharchika
- Vatarakta

- · Arsha
  - · Shotha
- Bhagandar
- Varicose ulcer
- Prameha
- Amayata



#### Dosage & Anupan:

2 to 4 Tablets 2-3 times a day with Amrutarishta. Mahamaniishthadi Kwath or lukewarm water

# Gokshuradi Guggul

### Effective in Mootravaha Srotas Vikar

#### Indications:

- Amayata-Niramayastha
- Mootrakruchchhra
- Mootraghata
- Mootrashmari
- Prameha
- Vatavvadhi
- Vatarakta
- Shukradosha



2 to 4 Tablets 2-3 times a day with Punarnavasava. Dashamoolarishta or Lukewarm water



# **Kaishor Guggul**

#### **Effective in Vatarakta**

Gulma

#### Indications:

(गालकार)

- Vatarakta

- Vataraktajanya Sandhishoola Vrana
- Sravi Tvachavikar



#### Dosage & Anupan:

2 to 4 Tablets 2-3 times a day with Maharasnadi Kwath, Dashamoolarishta, Milk, Mamsarasa, Yoosha or Lukewarm water.







# Kanchanar Guggul

### Effective in Sthoulya due to Kakalak Granthi Krivalpata (Hypothyrodism)

#### Indications:

Obesity due to Hypothyroidism

Shree Dhootapages hwar Standards

SCS Memberson No. 0400074

Kareharar Gorcal

- Arbuda
- Gandamala

- Apachi
- Granthi
  - Kushtha
- Vrana Bhagandar



2 to 4 tablets 2-3 times a day with Punarnavasava Khadirarishta Abhavarishta. Gokshur Kwath or lukewarm water





## Effective in Asthisousheerva and Asthibhagna

#### Indications:

- Asthisousheerva
- Asthisousheervajanva Sandhishoola

Gulma

- Asthibhagna
- Asthibhagnottar Sandhishoola

#### Dosage & Anupan:

2 to 4 Tablets 2-3 times a day with Dashamoolarishta. Milk Mamsarasa or lukewarm water

Udavarta

Apasmar

Gulma



# Mahayogaraj Guggul

#### Effective in Niramavastha of Sandhigata Vata and Vatavyadhi

#### Indications:

- Vatavvadhi
- · Arsha
- Kushtha

नासादि गुग्गुत

- Bhagandar
- Grahani Vatarakta
- Aruchi

- Agnimandya
- Shukradosha
- Rajodosha
- Napunsakatya
- Vandhvatva





hiele Ohnotag ages hwar Standards SCS Minrophoph No. 0400094 Матроова Басол



#### Dosage & Anupan:

2 to 4 Tablets 2-3 times a day with Dashamoolarishta. Maharasnadi Kwath, Amrutarishta, Gomootra, Honey or lukewarm water.

# Panchamrut Loha Guggul

### Effective in Manyakasherukagata Vata

#### Indications:

- Mastishka Dourbalyajanya Shirahshoola
- Vatavikar
- Manyakasherukagata Vata (Cervical Spondylosis}
- Avabahuk
- Grudhrasi

#### Dosage & Anupan:

2 to 3 Tablets 2-3 times a day with Dashamoolarishta Maharasnadi Kwath, milk or lukewarm water,









# Panchatikta Ghruta Guggul

### Effective in Shushka Tvacha Vikar

Microsoft

#### Indications:

- Kushtha
- Arbuda
- Gulma

- Vatavvadhi Nadivrana
- Bhagandar · Arsha
- Vatarakta · Peenasa

#### Dosage & Anupan :

2 to 4 Tablets 2-3 times a day with Mahamaniishthadi. Kwath. Khadirarishta or lukewarm water.



नर्नवादि गगार

# Punarnavadi Guggul

#### Effective in Jalamahabhootagni Vikrutijanya Shotha

#### Indications:

- · Shotha • Ildara
- Sthoulva
- · Pandu

- Urdhwaiatrugata Kaphavikar
- Kushtha Mootravaha Srotas Vikar



Dosage & Anupan:

2 to 4 Tablets 2-3 times a day with Punarnayasaya. Gokshur Kwath or lukewarm water.

# Saptavimshatika Guggul

### Effective in Arsha and Nadivrana

#### Indications:

- Arsha
- Nadivrana
- Bhagandar
- · Shlipada

#### Dosage & Anupan:

2-4 tablets twice or thrice a day with Abhayarishta, Mahamaniishthadi kwath or lukewarm water preferably after meals.



# Sinhanad Guggul

### Effective in Samavastha of Amavata

#### Indications:

- Amayata
- Vatavyadhi

Turrene

- Kas
- Kushtha
- Shwas
  - Vatarakta



2 to 4 Tablets 2-3 times a day with Punarnavasava, Mahamaniishthadi Kwath, Yoosha, Milk or lukewarm water,

Udara

Gulma















वार्वभव गुग्

(Microbe)





# Swavambhuva Guggul

### **Effective in Shwitra**

#### Indications:

- Shwitra and other Chronic Skin Disorders
- Madhumehajanya Kshudrakushtha
- Sravi Kushtha
- Pruritus
- Mukhadushika (Acne)
- Prameha
- Pada Vrana
- Vatarakta







2 to 4 Tablets 2-3 times a day with Mahamaniishthadi Kwath Khadirarishta, Gomootra, honey or lukewarm water,

# **Trayodashang Guggul**

## Effective in Katikasherukagata Vata

#### Indications:

- Grudhrasi
- Asthi-Majjagata Vata
- Katishoola · Asthisousheerva
- Sandhigata Vata · Asthibhagna



2 to 4 Tablets 2-3 times a day with Maharasnadi Kwath, Dashamoolarishta, milk, Mamsarasa, Yoosha or lukewarm water



Stiffness in back.

ankle & other joints

# Triphala Guggul

### Effective in Medasanchitijanya Sthoulya

#### Indications:

Arsha

Sthoulya

Bhagandar

- Shotha

- Nadivrana
- Vrana
- Kotha
- · Koshthagata Vatavikar



[मारनकर<sup>ू</sup>



2 to 4 Tablets 2-3 times a day with Maharasnadi Kwath. Abhavarishta or lukewarm water.

# Vatari Guggul

### Effective in Sandhivikar

#### Indications:

- Rheumatoid arthritis
- Low backache
- Sciatica

- Gout
- · Deformed knee due to chronic arthritis etc.

### Dosage & Anupan:

2-4 tablets twice or thrice a day with Maharasnadi Kwath, Amrutarishta, Dashamoolarishta or lukewarm water preferably after meals.















### Effective in Samavastha of Sandhigata Vata

#### Indications:

- Vatavvadhi
- Kushtha
- Grahani
- Vatarakta
- Arsha
- · Bhagandar
- Aruchi
- Agnimandya
- Udarashoola

### Dosage & Anupan :

2 to 4 Tablets 2-3 times a day with Dashamoolarishta, Maharasnadi Kwath, Amrutarishta, Gomootra, honey or lukewarm water.









# Abhraloha TABLETS

#### Effective in-

#### The Unique Hematinic

- Iron Deficiency Anemia (IDA)
- Improving IDA associated symptoms like -
  - Vaivarnata (Pallor) - Shwas (Dyspnea)
- Adhirata (Irritability) - Shrama (Fatigue)
- Daurbalva (Weakness) - Hridayspandan (Palpitations)

- Aruchi (Anorexia)
- Shotha (Edema)



Runny nose

Sore throat

Commission

ए फ्ल-ओ-सिल

A Flu-o-cil







1 to 2 Tablets twice a day after meals with lukewarm water






# Relief from Cough, Cold and Fever

#### Effective in-

- Fever associated with Acute Bronchitis and Dengue
- · Seasonal flu and associated symptoms



### Dosage & Anupan:

1 to 2 Tablets, twice or thrice a day with Amrutarishta, Kanakasava, Drakshasava or Lukewarm water

# A-Flu-O-Cil

### Useful in flu and related symptoms

#### Effective in:

- Iwar
- Peenas
- Pratishvaya
- Shirahshoola



ere Dhooten aces hwar Standard: 508 Memorisan No. 0700024 5-Ru-0-CI



Dosage & Anupan: 1 to 2 tablets 2 times a day with honey or lukewarm water.



# Quick and long-lasting relief from Amlapitta

Effective in:

Avipaak

Amlodgar

Aruchi

Utklesh

Hruddaha

Parinamshoola

#### Dosage:

15 ml twice a day preferably before meals.











### **Stops Bleeding & Reduces Pain**

#### Effective in-

- Sarakta Arsha
- Shushka Arsha
- Sashoola Arsha
- Gudashotha
- Abhyantar and Bahya Arsha
   Parikartika

#### Dosage & Anupan :

2 to 3 Tablets, twice or thrice a day with Triphala choorna, Abhayarishta or with Lukewarm water.



# Arsha Hita ointment

### **Stops Bleeding & Reduces Pain**

#### Effective in:

Sarakta Arsha

Arsha Hita

Shushka Arsha

sthiposhak

- · Abhyantar and Bahya Arsha
- · Sashoola Arsha
- Gudashotha
- Parikartika



Dosage & Anupan:
Apply before and after evacuation.




# Asthiposhak Tablets

### Natural & Complete Calcium supplement

#### Effective in:

- · Asthidhatu Kshava
- Asthi Sousheerva
- Asthibhagna
- Asthishoola
- Sandhishoola
- · Pre-menstrual Syndrome
- · Perimenopausal Osteoporosis





Non Iormonal

& Safe

# Kaklarakshak Yog"

### **Natural Thyroid Stimulator**

#### Effective in:

 Normalising thyroid indices in Kakalak Granthi Kriyalpata (Hypothyroidism)



#### Dosage & Anupan:

1 to 2 Tablets twice a day with lukewarm water or Triphala Kwath preferably on empty stomach







# Kutaja Parpati Vati<sup>®</sup>

### Effective in Diarrhoea, Dysentery and IBS

#### Effective in-

- · Atisar
- Pravahika
- Grahani (Diarrhoea) predominant IBS)



· This unique brand offers Kutaja in parpati form making it specific for small intestine.

#### Dosage & Anupan :

1 to 2 Tablets twice or thrice a day with Kutajarishta Jeerakadvarishta. Buttermilk. Lukewarm water or as per the condition of the disease





# MinCof Cough Syrup

### Ultimate remedy to treat all kinds of cough

#### Effective in:

- Productive Cough
   Tonsillitis
- Dry Cough
- Sore Throat
- Whooping Cough
   Smoker's Cough
- · Allergic Cough
- Tamak Shwas

#### Dosage:

2 to 5 yrs: 2.5 ml to 5 ml thrice a day 5 to 16 yrs : 5 ml to 10 ml thrice a day Adults: 10 ml thrice a day.





### An Ideal Virechak (Shodhit Javapalayukta)

#### Effective in:

Jeerna Malavashtambha

kroora koshtha

- · Sakashta Malapravrutti in
- · Virechanarha Vikar such as: - Kushtha - Shwas
- Kamala - Pakshaghata - Shotha - Udara

Not recommended during pregnancy and in children.



BUS Menomon kn 1000554 Microson Fronte



#### Dosage:

1 Tablet early morning or at bedtime.



# Raktastambhak Tablets

## **Helps Stop Bleeding**

#### Effective in:

- Nasagata Raktasrav
- Sarakta Mootrapravrutti
- Raktapradar
- Gudagata Raktasrav related to: Arsha, Parikartika, Gudagata Nadivrana

#### Dosage & Anupan :

2 to 3 Tablets, twice or thrice a day with Usheerasava, Chandanasava, Sheetasudha, Ashokarishta, Godugdha, butter, honey,









### For gentle removal of Urinary Stone

#### Effective in:

- Mootrashmari
- Mootrakruchchhra
- Mootradaha
- Sarakta Mootrapravrutti

#### Dosage & Anupan:

1 to 2 Tablets, twice or thrice a day with Sheetasudha, Chandanasava, Usheerasava, Punarnavasava or with Lukewarm water.



# Shilapravang® (With Moultik)

## **Excellent Balya and Rasayana Chikitsa**

#### Effective in:

Prameha

SHEETAPRABIL

- Ashthila
- Mootradaha
- Klaibva
- Mootrakruchchhra
- Dourbalva
- Shighrapatan
- Ojakshaya
- Complications of Prameha
  - Burning sensation of Hands and Feet








Dosage & Anupan:

1 to 2 Tablets twice a day with milk.







# Balchaturbhadrika Syrup

A TRADITIONAL REMEDY for Balroga Chikitsa

बालचातुर्भद्रं चूर्णं शर्करामधुसंयुतम्। शिशोर्ज्वरातिसारघ्नं कासश्वासवमीहरम्।।







# Effective in:

Jwar

Kas

**Atisar** 

Shwas

Chhardi

Krumi

Colic (Abdominal pain)

# Dosage:

Child (Age)

For child upto 1 year : 2.5 ml

For 1 to 3 years : 5 ml

For 3 to 7 years : 10 ml

2 to 3 times a day or as directed by the Physician.

Availability: 100 ml









- Bhasma
- Guti Vati
   Kupipakva Rasayan
- Loha Mandoora
- Parpati Kalpa
- Pishti
   Rasakalpa





# Abhraka Bhasma (Shataputi)

### Useful in Pranavaha & Majjavaha Srotas Vikar

#### Effective in:

- Rajavakshma
- · Shwas
- Hrudrog



- Vatanadi Dourbalva
- · Mastishka Dourbalva
- · Shukra Kshava

Dosage & Anupan : 30 to 125 mg twice or thrice a day with honey, ghee or milk.



# Abhraka Bhasma (Sahasraputi)

# Excellent Rasayan for Pranavaha and Majjavaha Srotas

Pranavaha Srotas Vikar such as

- Jeerna Tamak Shwas
- Rajayakshma
- Jeerna Kas

Dosage & Anupan: 30 to 125 mg twice or thrice a day with honey, ghee or milk.

Vata Vikar such as

- Pakshaghat
- · Vatanadi Dourbalya
- · Ardit



# Hajarul Yahood (Badarashma) Bhasma

#### Excellent Bhasma for Ashmari Bhedan

#### Effective in-

- Mootrashmari
- Mootravarodha
- Mootrakruchchhra
- Mootra Sharkara



Dosage & Anupan:
250 to 500mg twice or thrice a day with
Punarnayasaya, occonut water or lukewarm water.



# Godanti Bhasma

### **Useful in Jwar and related Lakshan**



- Jwar
- Pratishyay
- Ardhavabhedak

- Visham Jwar
- Shirahshool
   S

Suryavarta



Dosage & Anupan: 125 to 250mg twice a day with honey, cow ghee or as per disease condition.









# Heerak Bhasma

### **Balya and Jaranashak Bhasma**

#### Effective in:

- Napunsakata
- Hrudroga
- Kshavroga
- Sthoulva
- Karkatarbuda
- · Prameha

#### Dosage & Anupan:

2 to 10 mg twice a day with Ghee, milk or honey.



होतलोह भस्म

Speed

# Kantaloha Bhasma

### **Excellent Raktavardhak and Balva**

#### Effective in-Lakshan seen in

Pandu such as

- Agnimandya
- Pandu Vaivarnva
- Dourbalva
- Hrud-dravata
- Avasen Shwaskashtata
- Yakrut Vikar such as
- Yakrut Vruddhi
- Kamala Prameha





Dosage & Anupan :

125 to 250 mg twice a day with Godugdha, Ghruta, honey or Triphala Choorna.



# Kapardika (Varatika) Bhasma

# Beneficial in Koshthagat Vata Shaman

#### Effective in:

- Parinam Shool
- Grahani
- Amlapitta

- Agnimandya
- Aieerna
- Amatisar

Dosage & Anupan: 60 to 250mg twice a day with milk, honey, Navneet or with milk cream.



# Kaseesa Bhasma

### **Excellent Amapachak Bhasma**

#### Effective in:

- Pandurog
- Twachavikar
  - Atisar
- Grahani Pravahika
  - Mootrakruchhra

Netravikar



Dosage & Anupan: 125 to 375mg twice a day with Triphala Choorna, Goghrut, honey or warm water.







# Kukkutandatvak Bhasma

### Asthi Dhatvagnivardhak and Asthi Poshak

#### Effective in:

- Asthibhanga
- Asthikshav
- · Asthisousheerva

Shree Dhootou aces twar Standards

SDS Monograph No. 920953



- Palitya
- Dourbalva



1 to 2 tablets (250 to 500 mg) twice or thrice a day with honey or as per the condition of the disease.





# Loha Bhasma

### Raktavardhak and Balya Bhasma

#### Effective in:

- Pandu
- KrumiKushtha
- Dourbalya

- Agnimandya
- Yakrut Vikar
- Pleeha Vruddhi

Dosage & Anupan:

125 to 250mg twice a day with milk, ghrut or honey.



# Mandoora Bhasma

#### Effective in Raktavaha Srotas Vikar

#### Effective in:

- Kamala
- Mrudbhakshanjanya Pandu
- Sangrahani

Rajahksheenata

intik (Makaso) Dist

Shotha

Prameha





Dosage & Anupan: 125 to 250mg thrice a day with milk, honey or Ghrut.

# **Mouktik Bhasma**

### An excellent Pittashamak Kalpa

#### Effective in:

- Jeerna Jwar
- Raktapitta
- Kas

- Sarvangadaha
- Asthikshav
- · Rajayakshma

- Amlapitta
- Shwas

#### Dosage & Anupan:

125 to 250 mg twice or thrice a day with Sharkara, Ghee, milk or as per the condition of the disease









# Naga Bhasma

### An excellent Veervavardhak and Madhumeha Nashak Bhasma

#### Effective in:

- Madhumehaianya Napunsakata
- Jeerna Vatavikar
- Klaihva
- Madhumeha

Dosage & Anugan : 125 mg to 250 mg twice or thrice a day with Ghee or honey



# Pravala Bhasma

### An Excellent Pittashamak Kalpa

#### Effective in-


Pitta Prakopianya Lakshan such as

Sarvanga Daha


WITH WHEN

Speci

- Netradaha
- Urah & Udara Daha



- Mukhapaka
- Raktapradar





#### Dosage & Anupan :

1 to 2 tablets (250 mg to 500 mg) twice or thrice a day with Gulkanda, Guduchi Satva, Sariyadyasaya,

Sheetasudha, milk, butter or as per the condition of the disease.

# Rajata Bhasma

### **Excellent Mastishka and Vatanadi Balva**

#### Effective in:

- Vatavikar such as Pakshaghat, Ardita, Grudhrasi
- Vatavahini Vikruti due to. Madhumeha
- · Tingling and burning sensation of hands and feet
- Mental illnesses like Unmad, Stress etc.



30 to 125 mg twice a day with honey, Ghee or milk cream or as per the condition of the disease.



# Shankha Bhasma

### Beneficial in Ajeernajanya Vikar

#### Effective in:

- Agnimandya
- Grahani
- Mukhadooshika

- Amlapitta
- Udarshool
- · Chhardi

Atisar



Dosage & Anupan:

125 to 250mg twice or thrice a day with Ghrut, Nimbu Swaras or luke warm water.







# Shouktik Bhasma

### Effective in Udarshoola and Aieerna

#### Effective in:

- Amlapitta
- Adhman
- Chhardi

- Parinamshool
- · Arochak
- Shirahshool

· Aticar



Dosage & Anupan :

125 to 250mg twice a day Ghrut or honey.



# Suvarnamakshik Bhasma

## **Excellent Raktaprasadak and Stambhak Kalpa**

#### Effective in-

- · Pandu
- Bhrama
- Amlapitta
- Netra Araktata Shirahshool

Dosage & Anupan:

Netra Daha

125 mg to 250 mg twice or thrice a day with Ghee or honey



Raktapitta

# Tamra Bhasma

### Beneficial in Yakrut, Pleeha and Udargat Roga

#### Effective in:

Yakrut Vrudhi

वर्णमाक्षिक प्रस

- Udar
- Sthoulva

- Mansarbuda
- Grahani



त्रिवंग भस्म

Bras!



Dosage & Anupan : 60 to 120 mg twice a day with honey, milk or luke warm water.

# **Trivanga Bhasma**

### Vajeekar and Jananendriya Balya

#### Effective in:

Shukra Dushtijanya Vikar such as

- Napunsakata
- · Indriya Dourbalya

Artav Dushtijanya Vikar such as

- Shwetapradar
   Garbhasrav
- Vandhvatva
- Garbhapat

तास भस्म



1 to 2 tablets (125 to 250 mg) twice a day with milk. honey, butter or as per the condition of the disease.



Stree Disostepapeshwar Standau SDS Merocceph No. 020020 Тиметра Вітакита













## **Excellent Vrushya and Pramehanashak**

#### Effective in-

- Madhumeha
- Klaibva
- Shukrakshav
- Jeerna Tvachavikar
- · Indriva Dourbalva

### Dosage & Anunan :

1 to 2 tablets or 125 mg to 250 mg 2 times a day with honey, butter, Goghruta or Godugdha.



# Yashada Bhasma

### Useful in Prameha and associated skin diseases

#### Effective in:

Madhumeha Upadrava such as

· Padatala Vran

लंग भाग

Grass

- Netrapatal Vikruti
- · Pandu




Netravikar such as

- Pothaki
- Abhishyanda

#### Dosage & Anupan :

62.5 mg to 125 mg in morning & evening with honey, butter, Goghruta or Godugdha









# Bilvadi Gutika

### Excellent Amapachak Kalpa beneficial in Ajeerna and Visuchika

#### Effective in:

- Aieerna
- Adhman
- Pravahika

- Grahani
- Visuchika







# Brahmi Vati Buddhivardhak

### **Excellent Kalpa beneficial for Mastishkagata Vikar**

#### Effective in-

- Nidranasha
- · Unmada Apasmar
- Smrutinasha
- · Stress and related hypertension

#### Dosage & Anupan:

1 to 2 tablets twice a day with Saraswatarishta, Dashamoolarishta, milk or as per disease condition.





# Chandraprabha (With Loha-Shilajatu)

## Effective in:

Stree Vikar such as

 Shweta Pradar, Kashtartaya

लादि गृटिका

· PCOS

### Useful in Artavavaha Srotas and Mootravaha Srotas Vikar

Mootravaha Srotas Vikar like

Mootrakruchchhra

Mootrashmari

Prameha

Pandu





ree Dhoolopapes hwer Stande SDS Managraph No. 0500014 Dischbep 80ts



Dosage & Anupan :

1 to 2 tablets twice or thrice a day with Chandanasava,
Ushirasava or lukewarm water or as per the condition of the disease.

# **Eladi Gutika**

# Beneficial in Vata Pittapradhan Vyadhi of Pranavaha Srotas

#### Effective in-

- Swarbhed
- · Kas

- Shukapoorna Galasyata
- Hrullas
- Aruchi

#### Dosage & Anupan:

2 to 4 tablets twice or thrice a day with Drakshasava, Kanakasava, honey, lukewarm water or as per the condition of the disease



Sarakta Nishthiyan





# **Gandhak Rasavan**

### Beneficial in Poovavukta and Dahavukta Twacha Vikar

#### Effective in-

- Tvachavikar with Daha, Kandu
- · Ekakushtha, Vicharchika, Vipadika
- · Nadivrana, Asthi/ Mansagata Vrana
- Mukhadooshika

 Dushta Peenas. Pooyadanta, Pooyameha

Upadansha



#### Dosage & Anupan :

2 tablets twice or thrice a day with milk or sugar

# Kamdugha (Plain)

### **Useful Kalpa in Niram Amlapitta**

#### Effective in:

सारक रसारान

- Tiktasvata, Amlodgar
- Daha of Kantha, Kukshi and Hrud Pradesh
- · Pittaia Shirahshoola
- Hastapadatala Daha





#### Dosage & Anupan:

1 to 2 tablets twice or thrice a day with Ushirasava or Chandanasava.

# Kamdugha (with Mouktik)

## Beneficial Kalpa in Pitta Pradhan Vikar

#### Effective in:

- Jeerna Amlapitta · Parinam Shoola
- Grahani
- · Pittai Kas

Mootrakruchchhra

Mootradaha



#### Pittatisar

Dosage & Anupan: 1 to 2 tablets twice or thrice a day with milk. Sharkara or Nimbu Swaras.

# SDS Morograph No. 850004



# Khadiradi Gutika

### Beneficial in Kanthagata Roga

#### Effective in:

- Mukhapaka
- Disorders of Danta. Talu, Oshtha, Jivha
- Galaroga
- · Mukhadurgandhi
- Swarbhed

Dosage & Anupan: 2 to 3 tablets twice or thrice a day for chewing purpose.









# Laghumalini Vasant

### Beneficial in Dhatukshayajanya Vikar

#### Effective in:

- Dhatukshayjanya Vikar such as Rajayakshma
- · Jeerna Jwar
- · Lasika Granthi Vruddhi



- Garbhasrava
- · Deficiency in fetal nourishment
- Netragata Vikar



1 to 2 tablets 2 to 3 times a day





# Prabhakar Vati

### **Beneficial in Hrudroga and associated symptoms**

#### Effective in:

- Hrud Dravata
- Shwaskashtata
- · Heaviness in chest

- Hrudgati Vikruti
- Hypertension

#### Dosage & Anupan:

1 to 2 tablets twice or thrice a day with Arjunarishta, Dashamoolarishta, lukewarm water or as per the condition of the disease



# Praval Panchamrut (Plain)

### Beneficial in Various Disorders of Pachan Sansthan

#### Effective in:

- Aieerna
- Amlapitta and Udarshoola
- · Atisar
- Grahani



#### Dosage & Anupan :

1 to 2 tablets twice a day with, milk, sugar. Nimbu Swaras, water or as directed by physician.

# Praval Panchamrut (With Mouktik)

# An Excellent Kalpa for Pitta Shaman and disorders of Pachan Sansthan

#### Effective in:

- Udar Gauray
- Udarshoola
- · Grahani

Agnimandya

### Amlapitta

#### Dosage & Anupan:

1 to 2 tablets twice a day with, milk, sugar, Nimbu Swaras, water or as directed by physician.











### Useful in Menstrual disorders

#### Effective in-

- Anartava
- Kashtartaya
- Alpartava
- Delayed menstruation

#### Dosage & Anupan -

1 to 2 tablets 2-3 times a day with Kumari Asava no. 1 or lukewarm Water



# Sanjeevani Gutika

### Useful Amapachak Kalpa in Atisar, Visuchika, etc

#### Effective in-

Agnimandya

जःप्रवनंती वरी

- Aieerna
- Pravahika
- Pratishvav
- Visoochika



#### Dosage & Anupan:

1 to 2 tablets 2 times a day with honey. Ardrak Swaras or Jukewarm Water

# Sanshamani Vati

## An effective Jwaraghna and Amapachak Kalpa

#### Effective in:

- Jwar
- Vatarakta
- Amavata
- Alpavvadhikshamatva

#### Dosage & Anupan:

1 to 2 tablets twice or thrice a day with honey. Ardrak Swaras or lukewarm water.



Vishatinduk Vati

# Vatanadi Balya and Shoolanashak Kalpa

#### Effective in:

- Jeerna Vatavikar
- Mansapeshi Sankocha, Shoola
- Vatanadijanya Vedana
- Bedwetting, Urine incontinence
- Klaibva
- · Sandhi Vedana like in Amavata

#### hree Obootopapeshwar Standards 🖳 SDS Misnograph No. 0500594 Visitatiod is Vari

#### Dosage & Anupan:

1 to 2 tablets twice or thrice a day with Maharasnadi Kadha, Balarishta, Dashamoolarishta, Saraswatarishta, Ashvagandharishta, lukewarm water or as per the condition of the disease.







# Mallasindoor

### Effective on Kaphasthana as Kaphasanshoshak Kalpa

#### Effective in-

- Kaphai Shwas
- Kaphai Kas
- Pleural effusion

Shop Shorton approper Standards SDS Monograph No. 988912

Markey



Sandhisthan Jala Sanchiti

Special Precaution: Avoid use in Pittabhuvishtha Vikar, Haemoptysis and in children



30 to 60 mg 2-3 times a day with honey or Ardrak Swarasa





# An excellent Saptadhatu Poshak and Vaiikar Yog

#### Effective in:

Shukra Dhatu Dushtijanya Vikar such as

- Napunsakata
- · Erectile dysfunction

Dhatukshavianya Vikar such as

- Jeernaiwar
- Rajavakshma
- Shwas



Dosage & Anupan: 30 to 60 mg 2 to 3 times a day with milk, honey, Ashvagandharishta or Nagyelpatra,

# Rasasindoor

## An effective Kalpa for the treatment of Kaphapradhan diseases

#### Effective in:

- · Kas Jwar
- Shwas Shleshmak
- Hikka Shwasanak





Rajavakshma and Jeerna Pratishvava

Special Precaution: Avoid in Shushka Kas, less phlegm, burning in chest and throat. Bleeding disorders or Urahkshata

Dosage & Anupan: 30 to 60 mg 2-3 times a day with honey, sugar or Ardrak Swarasa.



Effective Rasakalpa in Vatakaphaj Vikar

### Effective in-

Jeernavastha of Vatavikar such as

- · Ardit, Pakshaghat
- Sandhigata Vata

- Apatanak
- Grudhrasi
- Hanustambha

 Jeerna Shwas

o 🔨 रससिंदर

and Kas



Dosage & Anupan:

30 to 60 mg 2 to 3 times a day with honey. Ardrak Swaras or Nagvelpatra Swaras



rele Dispotag ages towar Standard SDS Moregraph No. 980917







# Shadgunabalijarita Rasasindoor



### Beneficial in Pranavaha Srotas Vikar

#### Effective in:

- Shwas
- · Rajayakshma
- · Kas
- Dushta Peenas

#### Dosage & Anupan:

30 to 60 mg 2 to 3 times a day or as directed by the Physician.



# Suvarnarajvangeshwar (svarnavanga)

Excellent Rasayan and Vrushya Kalpa effective on Shukravaha Srotas Vikar

#### Effective in:

- Napunsakata
- Sadaha Mootrapravrutti
- Sapoova Mootrapravrutti




- Bahumootrata
- Sravi Twachavikar
- · Upadansha

#### Dosage & Anupan :

125 to 250 mg morning and evening with milk or honey or as per disease









# **Punarnava Mandoora**

### Raktavardhak and Shothahar Yog

#### Effective in:

- · Panduianva Shotha
- · Vrukkajanya Shotha
- · Kaphaja Shotha



- Galaganda
- Vrukka Vikruti





#### Dosage & Anupan:

1 to 2 tablets twice or thrice a day with Punarnavasava, Kumari Asava No. 1, Lohasava, Ghruta or lukewarm water.

# **Saptamrut Loha**

## An Excellent Netrya and Drushtiprasadan Kalpa

#### Effective in:

Netravikar such as

- Drushtimandva
- · Netra Daha and Kandu
- Naktandhyata
- · Palitva
- Raktalpata



2 to 4 tablets twice or thrice a day with Ghee, honey, cow milk. Triphala Ghrut, or luke warm water.



# Shilajatvadi Loha

Useful in Dhatukshavjanya Vikar

#### Effective in:

- Rajayakshma
- Pandu
- Dhatukshava

- Sthoulya
- Prameha





#### Dosage & Anupan :

1 to 2 tablets 2 to 3 times a day or as directed by the Physician. Preferably with milk.

# Tapyadi Loha (With Rajata)

### An Excellent Raktaprasadak and Rasayan Yog

#### Effective in:

- · Raktalpata caused due to
  - Mrud Bhakshanjanya Pandu
  - Sravi Arsha

- Hrudroga
- Twachavikar
- · Pakshaghat



1 to 2 tablets twice a day with Lohasava, Arjunarishta.

Dashamoolarishta, Ghruta, milk, honey and lukewarm water or as per the condition of the disease.











# Vidangadya Loha

## Beneficial in Medoroga and associated Vikar


#### Effective in-

- Agnimandya
- Prameha
- Raktalpata
- Medajanya Vikar

#### Dosage & Anupan :

2 to 3 tablets 2 times a day with warm water or as directed by the Physician.









# Rasa Parpati

### **Beneficial Kalpa in Grahani and Atisar**

#### Effective in:

- Jantujanya Sangrahani
- Udarashoola

पर्पटी

· Kamala, Pandu



- Shotha
- Amatisar
- Kushtha

Dosage & Anupan: 125 to 250 mg twice a day with Goghrut, Honey or Takra.



# **Shweta Parpati**

### Beneficial in Mootravaha Sansthan Vikar

#### Effective in:

- Mootraghat
- Mootrashmari
- mari Mootrakruchchhra

- Mootradaha
- · Sashoola Mootrapravrutti

#### Dosage & Anupan :

125 mg to 250 mg twice or thrice a day with Sheetasudha, Punarnavasava, Ushirasava, coconut water, lukewarm water or as per the condition of the disease.





#### Dosage & Anupan :

125 mg in the morning on empty stomach with buttermilk, Ghee or lukewarm water.



# **Panchamrut Parpati**

Yogaratnakar - Grahani

Effective in Vyadhi like Pittajanya Grahani and Atisar

#### Effective in:

- Grahani
- Jeerna Pravahika
- Jeerna Atisar
- Udara Vyadhi
- Dhatukshay
- Pandu



Availability: 5 gm, 10 gm, 500 gm, 1 kg







## Beneficial in Hruday Vikar

#### Effective in:

- Hrudroga
- Mastishka Vikar
- Teevra Iwar
- Netra Roga
- Sarvanga Daha
- Raktapradar

#### Dosage & Anupan :

125 to 250 mg twice or thrice a day with honey. buttermilk or as per the condition of the disease.



नहरमोहरा पिष्टी

Tepeir

## Jaharamohara Pishti

## Beneficial in Pitta and Agnidushtijanya Vikar

## Effective in:

अकीक चित्री

Aknek Pinist

धिश्रा

Aieerna

- · Chhardi
- Urah Daha
- · Atisar



#### Dosage & Anupan :

1 to 2 tablets (250-500mg) 2-3 times a day after food or as directed by physician.

# Kaharaya Pishti

## Beneficial in Pitta and Rakta Dushtijanya Vikar Effective in:

- Sravi Arsha
- · Pittai Shirahshool
- Nasagat Raktapitta
- Trushnadhikva

Atyartava

Dosage & Anupan: 1 to 2 tablets (250-500mg) 2-3 times a day after food or as directed by physician.



# Mouktik (Mukta) Pishti

## **Excellent Pittashamak and Balya Kalpa**

#### Effective in:

Sarvangadaha

कहरवा पिष्टी

(Perell

- Mootradaha Unmada
- Amlapitta
- Mastishka Dourbalya
  - Netraroga

Raktapitta

- Kshay



Dosage & Anupan:

60 mg to 125 mg morning-evening with milk, butter, Ghruta, Gulkanda or as per disease condition.



Tereil





## Pravala Pishti

## **Excellent Dahashamak and Sheetal Kalpa**

#### Effective in:

- · Sarvanga Daha
- Amlapitta
   Garbhini Kas & Chhardi
- · Raktapitta
- Rickets

Trushna





1 to 2 tablets (250 - 500 mg) twice or thrice a day with milk, honey, Gulkand or as per the condition of the disease.

# Kaharava Pishti

Ayurved Sara Sangraha

# Beneficial in Pitta & Rakta Dushtijanya Vikar



5 gm, 10 gm, 250 gm, 60 T, 1000 T.







# Useful in Agnimandya and related Vikar

- Aieerna
- · Chhardi associated with Aieerna
- Visoochika

- Adhman
- Udarshool
- Atisar



PERSON

## Dosage & Anupan:

1 to 2 tablets 2 times a day with milk, lukewarm water or as per the disease condition.

# **Agnitundi Vati**

## Useful in Vikar related to Agnimandya, Amavata

#### Effective in:

Agnimandya

रहाइतवराहर

- Udarshool
- · Yakrut Vikar

- · Ajeerna
- Amavata
- Grahani



#### Dosage & Anupan :

1 to 2 tablets 2 times a day with honey,
Nimbu Swaras, lukewarm water or as per the disease condition.

# **Amarsundari Vati**

Useful in Vatavikar like Unmada, Apatantrak, Pakshaghata etc.

#### Effective in:

- Ardit
- · Kas
- Arsha

Pakshaghat

• Unmad

Dosage & Anupan:

2 tablets 2-3 times a day with appropriate Anupan such as luke warm water or as per the disease condition.

· Shwas

## **Amavatari Rasa**

Effective Amapachak and Shoolaghna Kalpa in Teevrayastha of Amayata

## Effective in:

- Amavata
- Sandhishotha
- Sandhishool

अमरसंदरी वटी

Sandhigraha





2 tablets 2-3 times a day with Maharasnadi Kadha,

Dashamoolarishta, lukewarm water or as per the disease condition.





Shree Dhootspapes hwar Standards





## **Anandabhairay Rasa**

## Useful Kalpa in Kaphapradhan Kas & Shwas

#### Effective in:

- Jwar
- Shwas
- · Kas
- Pratishvav



आरोग्यवर्धनी

APOGYAVARDHANI

#### Dosage & Anupan :

1 to 2 tablets 2 times a day with honey, Ardrak Swaras or as per the disease condition



# Arogyavardhani

## Kushthaghna and Shothanashak Kalpa

#### Effective in:

- Ekakushtha, Vicharchika, Vipadika, Shwitra
- Yakrut & Pleeha Vikar
- · Sthoulya
- · Jeerna Vibandha
- Jalodar



Stree Dhootapapeshwar Standards
SDS Micoograph No. 0300044
Accountant

8.....

अर्शकठार रस



Dosage & Anupan:

2 to 4 tablets 2.3 times a day with Mahamanjishthadi Kadha, Khadirarishta,

Kumari Asava No. 1 or lukewarm water or as per the disease condition.

## **Arshakuthar Rasa**

## Rasakalpa Useful in Arsha

#### Effective in:

Lakshana associated with Arsha like

- Guda Shotha
- Guda Paka
- · Guda Kandu

(APPROPEI

· Malavashtambha



#### Dosage & Anupan :

2 to 3 tablets twice a day after food with buttermilk, lukewarm water or as directed by the physician.



## **Excellent Raktastambhak Kalpa**

#### Effective in:

- Raktapradar
- Raktapitta
- Shwetapradar
   R
  - Raktarsha
- Garbhashaya Shoola & Pradar in Sootikavastha



2 to 3 tablets 2-3 times a day with Ashokarishta. Ushirasava, milk, Makkhan, honey or as per the disease condition.



Shree Ohootapapeshwar Standwda SDS Moregraph No. 0500054 Bryaneddhu Raker













DESTRUCTED ST

## Chandrakala Rasa

## An excellent Pittashamak and Raktaprasadak Yoga

#### Effective in:

- Raktapitta
- Shwetapradar
- Raktapradar
- Daha
- Kamala
- Mootradaha
- Mootra
  - Kruchchhra

#### Dosage & Anupan :

1 to 2 tablets 2-3 times a day with Ushirasava, Sheetasudha, milk, water or as per the disease condition.



SECTION.

# **Ekangaveer Rasa**

## Effective in All kinds of Vatavikar

## Effective in-

## Vatavikar such as

- Grudhrasi
- Vishwachi
- Avabahuk
- Ardhangavata

## Dosage & Anupan :

1 to 2 tablets 2-3 times a day with Dashamoolarishta. lukewarm water or as per the disease condition.





Useful in Gandamala & Galaganda

#### Effective in:

Galaganda

Gandamala



1 to 2 tablets 2-3 times a day with Mahasudarshan Kadha, Mahamanjishthadi Kadha, lukewarm water or as per the disease condition.



# **Garbhapal Rasa**

## A complete care during all nine months of Pregnancy

## Effective in:

- Garbhasray
- Garbhapat
- · Chhardi, Shirahshoola, Atisar, Unmada etc in Garbhini
- Deficiency in fetal nourishment



## Dosage & Anupan:

1 to 2 tablets 2 times a day with Drakshadi Kwath or as per the disease condition







## Ichchabhedi Rasa

## A potent Virechak Kalpa

#### Effective in:

- Udar
- Kushtha
- Malayarodha

- · Shotha
- Kamala



Dosage & Anupan :

1 tablet in morning or at night with water





12क्ट्राइट

# **Kaphakuthar Rasa**

## Extremely useful Kaphaghna Kalpa

#### Effective in-

Kaphai Vikar such as

- Kaphai Kas
- · Kaphaja Jwar

Shwas

#### Dosage & Anupan:

1 to 2 tablets 2-3 times a day with honey. lukewarm water or as per the disease condition.



# **Kravyad Rasa**

## Effective Amapachak in Amadosha related Vikar


## Effective in:

- Ajeerna
- Adhman
- Grahani

- Udarshool
- Atisara
- Agnimandya







2 to 4 tablets 2-3 times a day with Takra.

Nimbu Rasa, lukewarm water or as per the disease condition.



## Krumikuthar Rasa

## Useful in Krumi & associated symptoms

#### Effective in:

- Krumijanya Twacha Vikar
- Malavibandha
- Udarshool

SELECTION .

Pandu

- Shotha
- Arunshika

## Dosage & Anupan:

2 to 4 tablets 2 times a day with Vidangarishta, lukewarm water or as per the disease condition.















## An excellent Pranavaha Srotas Balva & Hrudva Kalpa

#### Effective in-

- Jeerna Kas
- · Hrudrug
- Kaphai Kas
- Shleepad
- · Shwas
- Nadivran

#### Dosage & Anupan :

1 to 2 tablets 2 times a day with milk, honey. lukewarm water or as per the disease condition.



## Loknath Rasa

## Useful in liver and spleen disorders

## Effective in:

SAFETTE S

- Yakrut-Pleehodara
- Shotha

Gulma

Lasika Granthi Vruddhi



#### Dosage & Anupan:

1 tablet 2 times a day with honey or Lukewarm water or as per the disease condition.

# Madhumalini Vasant

## Saptadhatuposhak Kalpa

#### Effective in:

- Providing proper nourishment to fetus
- Maintaining health of pregnant woman
- · Helps to carry full term pregnancy
- Shwetapradar
- Debility associated with Jeerna Jwar

लोकगाश रस LOKNATH RASA



## Dosage & Anupan:

1 to 2 tablets 2-3 times a day with milk or as per the disease condition.

# Mrityunjaya Rasa

## Beneficial in all types of Jwar

## Effective in:

 Vatapitta Pradhan Jwar

प्मालिनी वसंत

Personal Property

- Visham Jwar
- Jeerna Jwara

#### Dosage & Anupan:

1 to 2 tablets 2 times a day with lukewarm water or as per the disease condition









# Prataplankeshwar Rasa

## Garbhashava Shuddhikar Kalpa

## Effective in-

## Sootikaroga like

- Sootika Jwar
- Chhardi



#### Shirahshoola

- · Ilnmad
- Akshenak

#### Dosage & Anupan :

1 to 2 tablets 2-3 times a day with Dashamoolarishta Jeerakadvarishta, honey or as per the disease condition.



# Pushpadhanwa Rasa

## Vrushya Yoga for females & males

#### Effective in:

- Napunksakta
- · Vandhvatva in both males and females
- Asthikshav caused due to Stree beeikosh Vikruti
- Indriva Shaithilya

#### Dosage & Anupan:

1 to 2 tablets 2-3 times a day with Ghee. Sharkara, honey or as per the disease condition.





## Useful in Jeerna Twachavikar

## Effective in:

Fkakushtha

शंखवरी

REPERTURE!

- Vicharchika
- Jeerna Twacha Vikar

- Shwitra
- Nadivrana
- Jeerna Sandhigata Vata



ee Ohoutapapeshwar Standard SDS Monograph No. DB0167



#### Dosage & Anupan :

1/2 to 1 Ratti (62.5 mg to 125 mg) 2 times a day with Takra, Goghrut, honey, sugar or as per the disease condition.

# Shankha Vati

## Useful Agnideepak and Shoolaghna Yoga

#### Effective in:

- Aieerna
- Udarshool
- Parinamshool


- Adhman
- Grahani
- Chronic constinution

#### Dosage & Anupan:

or as per disease condition.













## Effective medicine in Shirahshoola



- Shirahshool
- Survavarta
- Ardhavabhedak
- · Chintajanya Shirashool

#### Dosage & Anupan :

1 to 2 tablets 2-3 times a day with cow milk, goat milk, honey or as per the disease condition.



# Shoolavajrini Vatika

## Kalpa useful in all types of Shool

## Effective in:

Udarshool

रि:शासावि वज

Care areast

- Amlapitta
- Kamala

- Adhman
- Pleeha Rog
- Raktalpata



#### Dosage & Anupan:

1 to 2 tablets 2-3 times a day with Nimbu Swaras or as per the disease condition.

# **Shwaskuthar Rasa**



#### Effective in:

- Pratishvay
- · Kas
- Shwas
- · Vatakaphaj Vyadhi

#### Dosage & Anupan:

1 to 2 tablets 2 times a day with honey, Ardrak Swaras, lukewarm water or as per the disease condition.



# Smrutisagar Rasa

## Effective Smrutivardhak and Mastishka Balya Kalpa

## Effective in:

- Balagraha
- · Jeerna Avastha of Pakshaghat
- Unmad
- Vardhakyajanya Smrutinash
- · Apasmar
- Moorchchha



Dosage & Anupan:

1 to 2 tablets 2 times a day with Saraswatarishta, milk or lukewarm water or as per the disease condition.







# Sootashekhar Rasa (Plain)

# Excellent Kalpa useful in Samavastha of Pitta disorders

## Effective in:

- Amlapitta
- Udarshool
- Bhrama

- · Chhardi
- Grahani
- Shirahshool



## Dosage & Anupan :

1 to 2 tablets 2-3 times a day with honey, Ardrak Swaras, lukewarm water or as per the disease condition.



# Tribhuvankeerti Rasa

## Beneficial in Vatakaphaj Jwar

#### Effective in:

- Jwar (Vatakapha Pradhan)
- · Vishamajwar
- Pratishyay

- · Jwaravastha in Amavata
- · Jwaravastha in Shleepada
- · Dushta Peenasa



## Dosage & Anupan:

1 to 2 tablets twice a day with Ardrak Swarasa or lukewarm water or as per the disease condition.

## Vatakulantak Rasa

## Kalpa effective on brain and nervous system

#### Effective in:

· Pakshaghat

rerestant.

- Akshepak
- Moorchchha

- Apatanak
- Apasmar





#### Dosage & Anupan :

60 to 125 mg 2-3 times a day with honey, lukewarm water or as per the disease condition.



Useful Shoolaghna Kalpa in Vatavikar

## Effective in:

- Vatavvadhi
- Pakshaghat

- Amavata
- Apatantrak
- Akshepak
- Vataja Shirahshool



1 to 2 tablets 2 times a day with honey, lukewarm water or as per the disease condition.



Shree Ohootapapeshwar Standards SDS Micrograph No. 0600254 Victorichwinsta Flast

PERSONAL











# Vatavidhwansa (Maha) Rasa (with Jaypal)

## Useful Shoolaghna Kalpa in Vatavikar

#### Effective in:

- VatavyadhiPakshaghat
- Grudhrasi
- Tamak Shwas
- Amayata
- Unmad


Apasmar



#### Dosage & Anupan:

½ to 1 tablet with honey, ghee or lukewarm water .

















# Bruhat Vata Chintamani Rasa

Premium Quality Suvarnakalpa

Bharat Bhaishajya Ratnakar - 4/6985

Beneficial in Hrudroga & various Vata Vyadhi

Availability: 10 Tab., 30 Tab.,60 Tab., 300 Tab.









- Pottali Rasayan
- Premium Quality Suvarnakalpa
- Suvarna Prashan
- Standard Quality Suvarnakalpa





# Abhragarbha Pottali

## Useful in acute and chronic condtion of Pranavaha Srotas

#### Effective in-

- · Kas
- Raivakshma
- · Shwas
- Jeernaiwar



Dosage & Anupan : 0.5 Ratti (62.5 mg) in divided doses with Ardrak Swaras and honey



# Hemagarbha Pottali

## Useful in Atyayik Avastha of Pranavaha Srotas

## Effective in:

- · Kas
- Kshav
- Jeerna Atisar

- · Shwas
- Grahani

Dosage & Anupan: 0.5 Ratti (62.5 mg) in divided doses with Ardrak Swaras and honey



# Rasagarbha Pottali

## Useful in Atyayik Avastha of Jwar especially Kaphapradhan Jwar

#### Effective in:

· Chronic and acute stage of Jwar especially Kaphapradhan Jwar



तामगर्भ पोइली

#### Dosage & Anupan:

1 Ratti (125 mg) in divided doses with Ardrak Swaras and honey depending on the condition of patient and disease.



# Tamragarbha Pottali

## Useful in Kapha Pradhan Vikruti of Pranavaha Srotas Vikar

Iwar due to

Kapha Pradhan Tridosha Vikruti

#### Effective in:

- · Kas
- Shwas
- Udarashoola

#### Dosage & Anupan:

0.5 Ratti (62.5 mg) in divided doses with Ardrak Swaras and honey.











# Taragarbha Pottali

## Useful in Atvavik Avastha of Mootravaha Srotas Vikar

#### Effective in:

- Disorders of Montrayaha Srotas such as Montradaha
  - Mootrakruchchhra - Bahumootrata
- Prameha & its complications such as Nadikshobha
- · Shukra-Dosha

#### Dosage & Anupan:

0.5 Ratti (62.5 mg) in divided doses with

Tulsi Patra Swarasa and honey depending on the condition of patient and disease

SDS Mongoraph No. 200005

# Tridhatugarbha Pottali

## Useful in Prameha and disorders of Shukravaha and Artavavaha Srotas

#### Effective in:

- Prameha and associated chronic conditions such as Pootimeha
- In Males Shukradhatudushti

GUS Monocraph No. 260006

ilidiatiigaibha Potail

Shukrakshava


 In females – Pradara (Shwetapradara and Raktapradara)



hree Dhootspageshwir Standards 🞩

## Dosage & Anupan:

0.5 Ratti (62.5 mg) in divided doses with Haridra Choorna and Tulsi Patra Swaras depending on the condition of patient and disease







# Brahmi Vati Suvarnavukta

## Excellent Medhya, Mastishka Balya and Smrutivardhak Kalpa

#### Effective in-

- · Mental stress, anxiety, fatigue
- Hypertension due to stress and anxiety
   Irritability
- Insomnia, disturbed sleep
- · Lack of concentration
- Memory disturbances







## Dosage & Anupan :

1 to 2 tablets 2-3 times a day with

Saraswatarishta, Ghee, honey milk or as per the disease condition.

## **Bruhat Kastoori Bhairay**

## Effective in all types of Jwar

#### Effective in:

- Vishamiwar
- Dhatugat Jwaravastha
- Jeerna Iwar
- · Agantuj / Sankramak Jwar



1 to 2 tablets 1-2 times a day with honey, Ardrak Swarasa, Tulsi Swarasa, Nagyel Patra Swarasa,

Bilwa Choorna, Jeerak Choorna, honey or as per the disease condition.



# Bruhat Vata Chintamani Rasa

## Beneficial in Hrudroga & various Vata Vyadhi

#### Effective in:

- · Hrudgati Vikruti
- · Pakshaghat
- Jeerna Sandigata Vata
- Ardit
- Hrud Dravata
- Raktabharadhikya

## Dosage & Anupan:

1 to 2 tablets 1-2 times a day with honey, Goghruta, Dashamoolarishta, Maharasnadi Kadha, Arjunarishta,



lukewarm water or as per the disease condition.

## Chaturmukh Rasa

## **Excellent Kalpa in Vata disorders**

#### Effective in:

- Dhatukshayjanya Vataprakop
- Dhatukshayjanya Vikar such as Rajavakshma
- · Ardita, Pakshaghat
- · Jeernavastha of Amavata





1 to 2 tablets 1-2 times a day with Triphala Choorna, honey, Dashamoolarishta, Saraswatarishta or as per the disease condition







# **Javamangal Rasa**

## Useful in all types of Jwar

#### Effective in-

- Dhatugat Jwar Rasaraktagat, Mansamedogat, Asthimaijagat
- Dourbalva after Jeernaiwar



#### Dosage & Anupan:

1 to 2 tablets 1-2 times a day with. Jeerak Choorna, honey, lukewarm water or as per the disease condition.



or All

# **Kumarkalyan Rasa**

## Effective Suvarnakalpa in Bala Roga

#### Effective in-

Disorders of children like

- Ralashosha
- · Fakka (Rickets)
- Delayed milestones



## Shareerik Dourbalva

- Agnimandya
- Alpa Vyadhikshamatva

## Dosage & Anupan:

1/2 to 1 tablet 1-2 times a day with mother's milk. honey or as per the disease condition



## **Effective in Jeerna Pratishyay & Peenas**

#### Effective in-

- Jeerna Pratishvav
- Dushta Peenas
- Nasamarga Avarodha
- Shirahshoola
- · Pratishavay due to seasonal changes



1 to 2 tablets 1-2 times a day with honey. Pippali Choorna, milk, Chyavanprash,

lukewarm water or as per the disease condition.



# Makardhwaia Gutika

## Shukradhatuvardhak Vajeekar Yoga

#### Effective in:

- Sthanik and Sarvadehik Shukrakshav
- Shukranukshav
- Shareerik and Manasik Dourbalya

 Oiakshav. Dhatukshay, Karshva





Dosage & Anupan:

1 to 2 tablets 1-2 times a day with milk,





# Rasarai Rasa

## Useful Suvarnakalpa in Vikruti of Vatavahini

#### Effective in-

- Manyakasherookagat Vata
- Katikasherookagat Vata
- Grudhrasi



· Tingling and numbness in hands and feet

Dosage & Anupan: 1 to 2 tablets 1-2 times a day with milk, Sharkarodak. Chyavanorash Balarishta Dashamoolarishta

Maharashadi Kadha, lukewarm water or as per the disease condition.

## Sarvatobhadraa Vati

## Reneficial in Vrukkavikar

#### Effective in:

Mootraghat

Mootrashmari

Mootrakruchchhra



#### Dosage & Anupan:

1 to 2 tablets once or twice a day with Gokharu (Trikantakadi) Kadha.

Bruhat Varunadi Kadha, lukewarm water or as per the disease condition.

Shree Dheetagaeeshwar Standards SDS Monopianh No. 0900924 Sarryotekhadras Web

## Shwaskas Chintamani Rasa

## Beneficial in Jeernavastha of Shwas Kas

#### Effective in:

- Tamak Shwas
- Jeerna Kas
- · Shwasvahini Shotha (Bronchitis)
- Rajayakshmajanya Shwas, Kas
- Parshwashoola
- Urahkshat







Dosage & Anupan:

1 to 2 tablets 2-3 times a day with honey, Pippali Choorna. Tulasi Swaras, lukewarm water or as per the disease condition.

## Sootikabharan Rasa

## Suvarnakalpa useful in Sootikavastha

## Effective in:

 Diseases caused due to improper Garbhashay Shodhan in Sootikavastha like - Sootika Jwar



Shwetapradar
 Yonigat Dooshit Vrana

Raktapradar
 Garbhashay Shaithilya

#### Dosage & Anupan:

1 to 2 tablets 1-2 times a day with honey, milk, Dashamoolarishta, Ashokarishta or as per the disease condition.







## Sootashekhar Rasa

## **Excellent Kalpa useful in Samavastha of Pitta disorders**

#### Effective in:

Amlapitta Samavastha and associated symptoms like

Adhman

- Uro and Udardaha
- Chhardi
- Shirahshoola

• Bhrama

Udara Gauray





Dosage & Anupan: 1 to 2 tablets 1-2 times a day, In Kaphapradhan Vikar with Ardrak Swaras and honey, In Pittapradhan Vikar with milk, sugar and In Vatapradhan Vikar with Ghee, sugar or as per the disease condition

# Suvarna (Svarna) Bhasma

## Effective for Rasayan & Vajikar Karya

## Effective in:

- · Alpa Vyadhikshmatva
- · Dhatukshay and Balahani
- · Dhatukshayjanya Vikar
- · Dhatvagnimandva





#### Dosage & Anupan:

1 to 2 tablets 2-3 times a day with honey, Makkhan, cow Ghee, Chyavanprash or as per the disease condition.

# Suvarna Bhoopati Rasa

## Beneficial in Dhatukshavajanya Vatavikar

Effective in:

- · Dhatukshayajanya Vatavikar
- Vatarakta
- · Pandu

- Amayata
- Dosage & Anupan:

1 to 2 tablets 1-2 times a day with honey, Ghee, Makkhan or as per the disease condition.





# Suvarna (Svarna) Parpati

## Useful in Jeerna Avastha of Grahani, Atisar and Pravahika

## Effective in:

- · Jeernavastha of Grahani
- Antraj Vrana

- Jeerna Pravahika
- Jeerna Atisar





#### Dosage & Anupan:

1 to 2 tablets 2-3 times a day with honey.

Ghee, buttermilk or as per the disease condition.





## Suvarna Vasant Malati

## Rasayan Yoga for Pranavaha Srotas

#### Effective in-

- Jeerna Jwar
- · Agnimandva
- Alpa Vvadhikshmatva
- Rajavakshma
- Kshavai Kas
- · Jeerna Shwas Kas







1 to 2 tablets 1-2 times a day with milk, Makkhan, honey or as per the disease condition.

# Swarnamahayoga

## Extremely effective Suvarnakalpa in Jeerna Vatavikar

#### Effective in-

- Symptoms associated with Jeerna Sandhivikar
- Sandhishoola

- · Sandhi Atop
- · Sandhi Graha
- · Painful movement of joints



Shree Dhostopapeshwer Standerda SDS Micrograph kin, D900244 Swarmantshavpea





#### Dosage & Anupan:

1 to 2 tablets 2-3 times a day with Dashamoolarishta, Ashvagandharishta.

Maharasnadi Kadha, Godugdha or as per the disease condition.

## Vasant Kusumakar Rasa

## **Excellent Rasayan Yoga for Prameha Vyadhi**

#### Effective in:

self werall a

Madhumeha and associated symptoms like

- · Netrapatal Vikruti
- Vrukka Vikruti
- · Vatanadi Vikruti
- · Padatal Vrana (Diabetic wound)
- Napunsakta





#### Dosage & Anupan:

1 to 2 tablets 1-2 times a day with honey, milk or as per the disease condition.

# Yogendra Rasa

## Useful Suvarnakalpa in Jeerna Vatavikar

#### Effective in:

- Jeernavastha of Pakshaghat and associated symptoms like Mansashosha (Muscle wasting), difficulty in movements, Weakness
- · Bahumootrata (due to Prameha)
- · Urine incontinence
- · Indriya Dourbalya in elderly people



Dosage & Anupan: 1 to 2 tablets 1-2 times a day with Vanshalochan, sugar, Dashamoolarishta, Maharasnadi Kadha, Saraswatarishta, honey, lukewarm water or as per the disease condition.










# **SWARNA**

YOG



# P





Be Intelligent

Be Healthy

Be Strong

## Effective in:

- · Helps to enhance immunity
- Useful in physical and mental development of children
- Increase concentration







Availability: 30Tabs., 150Tabs.

# II MedhayuBalwan BhavaII<sup>®</sup>

# Maha Swarna Brahma Yog

Helps to increase immunity and intellect

## Effective in:

- Helps to enhance immunity
- Useful in physical and mental development of children
- Increase concentration
- Helps to increase intellect and memory





1 tablet of Maha Swarna Brahma Yog every month on Pushya Nakshatra or everyday empty stomach or as per condition.









# Bruhat Kastoori Bhairay

Bhaishajya Ratnavali (Jwar) 5/16-826

# Kumarkalyan Rasa

Bharat Bhaishaiya Ratnakar 1/1020

# Bruhat Vata Chintamani Rasa

Bhaishajya Ratnavali (Vatavyadhi) 26/145-148

# Mahalaxmivilas Rasa

Rasendrasarsangraha (Kapharoga) 2/17-19

# Chaturmukh Rasa

Rasachandanshu 2 (Vataroga)

# Makardhwaja Gutika

Ayurved Sara Sangraha

# Jayamangal Rasa

Bharat Bhaishajya Ratnakar (Jwar) 2/2103

# Rasaraj Rasa

Rasavogasagar 2/86







# Shwaskas Chintamani Rasa

Bhaishajya Ratnavali (Hikka Shwas) 16/57-60

# Suvarna Vasant Malati

Bhaishajya Ratnavali (Jwar) 1205-1207

# Sootashekhar Rasa

Rasachandanshu 2 (Amlapitta)

# Suvarna (Svarna) Parpati

Rasayogasagar 2/430

# Sootikabharan Rasa

Rasayogasagar 2/517

# Vasant Kusumakar Rasa

Yogaratnakar 2 (Prameha)

# Suvarna (Svarna) Bhasma

Rasatarangini 15/49-52

# Yogendra Rasa

Rasavogsagar 2/160-166









MAHA \_\_\_\_

**SWARNA BRAHMA** 

Helps to increase immunity and intellect

## Effective in:

- · Helps to enhance immunity
- Useful in physical and mental development of children
- Increase concentration
- · Helps to increase intellect and memory

From 2 - 16 Years of age





Shree Dhootapapeshwar Standards SDS Monograph No. 0703614 MAHA SWARNA BRAHMA YOG



#### Dosage & Anupan:

1 tablet of Maha Swarna Brahma Yog every month on Pushya Nakshatra or everyday empty stomach or as per condition.

II MedhayuBalwan Bhava II

Availability: 30Tabs., 150Tabs..











Avaleha - Pak
 Asava
 Arishta
 Kadha
 Choorna / Choorna Vati
 Consumer Ayuved
 Patent & Proprietary
 Primary Herb





# Ashvagandha Pak

## Excellent Dhatupushtikar Rasayan Kalpa

#### Effective in:

- Shukra Vardhan
- Rasavana

- Balva
- Dhatu Pushtikar



Dosage & Anupan : 5 to 10gm (1 to 2 teaspoonful) once or twice a day with warm milk or as directed by physician.



Shree O hootspapes hwar Standards SDS Musograph No. 010001



# Chyavanprash



## Effective in-

- Diseases of Pranavaha Srotas like Kas, Shwas, Rajavakshma
- Dhatukshava and Dourbalva caused due to Jeerna Vikar.
- Diseases affecting children like Agnimandya, recurrent Pratishyay, Kas, weight loss

Dosage & Anupan:

Adult- 2 tsf morning-evening on empty stomach Children (above 5 yrs)- 1 tsf morning-evening on empty stomach

# Kaunch Pak Beneficial in Ksheen Shukra

## Effective in:

- Dourbalva
- Ksheenashukra
- Mootravikar
- Vataroga



Dosage & Anupan :

5 to 10gm (1 to 2 teaspoonful) once or twice a day with warm milk or as directed by physician.

# Musali Pak

## Excellent Vajikar Kalpa



Effective in:

- Veeryavardhan
- Kantivardhan
- Balva
- Rasayan

Condone

Kaunch Pak

Dosage & Anupan:

5 to 10gm (1 to 2 teaspoonful) once or twice a day with warm milk or as directed by physician.









## **Aravindasava**

#### Reneficial in childhood diseases

#### Effective in-

Diseases of children like

· Agnimandya, Dourbalya

quantity of lukewarm water

- Fakka
- Asthivakrata Dosage & Anupan:

## · Dehoshma Vruddhi

- Constination
- Increased perspiration



## Chandanasava

0.5 to 2 tsf (3-10 ml) twice a day with equal

## Pittajanya Ushma and Daha Shamak Asava

#### Effective in:

Piitaprakopianya Vikar like

- Raktapitta
- · Mootradaha, Mootrakruchchhra
- Netra Daha

- Amlapitta
- · Pittaja Prameha
- Twachavikar







#### Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2 times a day with equal quantity of lukewarm water



## Drakshasaya

## **Excellent Agnideepak and Pachak Asava**

Effective in: Diseases related to Annavaha Srotas like

Agnimandya

Dosage & Anupan:

Grahani

Disease related to Pranavaha Srotas like

- · Kas Shwas
- Kshavajanya Kas



SDS Menocialon No. 100006



# Kanakasaya

2 to 4 tsf (10 to 20 ml) 2-3 times a day with

equal quantity of lukewarm water.

## Beneficial in Pranavaha Srotas Vikar

#### Effective in:

- Kas-Shwas
- Parshwashool
- Udar Shoola
- Tooni-Pratitooni



## Dosage & Anupan :

2 to 4 teaspoonful (10 to 20 ml) twice a day with equal quantity of lukewarm water.







# Kumari Asava No. 1

Yakrut Utteiak and Pachak Asava

#### Effective in-

· Yakrut Vruddhi

e e Dheatapapashwar Stand wife SDS Monopraph No. 1000/07

Korred Assess Mr. T

- Kamala
- Udar

# • Shotha

- Productive cough
- Nashtartava

## Dosage & Anupan :

2 to 4 tsf (10 to 20 ml) 2-3 times a day with equal quantity of lukewarm water

itaitava iur



Avoid use in more quantity and for longer duration, it may cause redness or inflammation of urinary tract





## Lohasava

## Useful in Pandu and related symptoms

## Effective in:

- Pandu
- Dourbalva
- Kas-Shwas
- Ayasen Shwas Kashtata
   Dosage & Anupan:

2 to 4 tsf (10 - 20 ml) 2-3 times a day with equal quantity of lukewarm water

- · Alpa Artava, Kashta Artava
- Yakrut-Pleeha Vruddhi associated with Jeerna Jwar



## **Punarnavasava**

## **Excellent Shothaghna Asava**

#### Effective in:

- · Vrukka and Hruday Vikrutijanya Shotha
- Udar
- · Yakrut-Pleeha Vruddhi


- Mootraghata
- Mootrakruchchhra
- Mootrashmari





Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2-3 times a day with equal quantity of lukewarm water.



**Excellent Raktaprasadak Asava** 

## Effective in:

- Twak Vaivarnya
- Pitta and Rakta Dushtijanya Pidaka
- Vatarakta
- Mukhadooshika
- · Bhagandar

## Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) twice a day with equal quantity of lukewarm water or as directed by the Physician











## Ushirasaya

## Useful in Mootravaha Srotas Vikar

#### Effective in:

- Mootrakruchchhra
- Mootradaha
- Raktapradar
- Nasagata Raktapitta
- Trushna
- Sarvanga Daha

Dosage & Anupan :

2 to 4 tsf (10 - 20 ml) 2-3 times a day with equal quantity of lukewarm water.



# Paripathadi Kadha

Ayurvedic Proprietary Medicine

# **Excellent Pittashamak Kadha**

## Effective in:

- Jwar, specially Pittaj Jwar
- Raktadushtijanya Vikar
- Mukhadooshika
- Pittaj Twacha Vikar
- Daha

## Dosage & Anupan:

2 to 4 tsp (10 to 20 ml) 2 times a day with equal quantity of luke warm water or as directed by the physician.



Availability: 200 ml, 450 ml







# **Abhayarishta**

## Useful in Malavibandha, Arsha & Bhagandar

#### Effective in:

- Malavarodha
- Gudarsha
- Bhagandar

Shree Dhoeteappeahwur Standarda

EDS Merce spri No. 100022 Abbaratanta



· Udar



Dosage & Anupan :

2 to 4 tsf (10 to 20 ml) twice a day with equal quantity of lukewarm water





## **Amrutarishta**

## Kalpa useful in Jeerna Jwar

#### Effective in:

- · Visham Iwar
- · Jeerna Iwar

- Twacha Vikar
- · Agnimandya

#### Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2 times a day with equal quantity of lukewarm water.



# **Arjunarishta**

## Beneficial in Hruday Vikar

## Effective in:

- Hrudroga
- · Hrud Dravata
- Ayasen Shwas
  - · Excessive perspiration



Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2 times a day with equal quantity of lukewarm water.



# **Ashokarishta**

## **Extremely useful in Stree Vikar**

#### Effective in:

- Atvartava
- Kashtartava
- Aniyamit Rajahpravrutti
- Shwetapradar
- Raktapitta
- Raktarsha

#### Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2-3 times a day with equal quantity of lukewarm water.











# **Ashvagandharishta**

## Improves physical and mental strength

Effective in-

- Physical and mental debility
- Dhatukshava
- Karshva
- Shukrakshava

Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2 times a day with equal quantity of lukewarm water.

- Jeerna Vatavikar
- Jaravasthaianva Indriva Shaithilva



## **Balarishta**

## Beneficial for Vvadhi of Vatanadisansthan

- Effective in-
- Pakshaghat
- Ardit
- Grudhrasi
- Sandhigata Vata
  - Dourbalva
  - Karshya



2 to 4 tsf (10 to 20 ml) once or twice a day with warm milk or as directed by physician.





# **Dashamoolarishta**

## Useful in Vatavvadhi

Effective in:

- Sandhigata Vata
- Amayata
- Avabahuk

- Sootika Rog
- · Dhatukshava.
- Shwas-Kas

#### Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2-3 times a day with equal quantity of lukewarm water.



# Jeerakadyarishta

## **Excellent Agnideepak Asava**

## Effective in:

- Agnimandya
- Adhman
- Atisar

- Grahani
- Aruchi
- Sootika Roga like Katishool



## Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) twice a day with lukewarm water.







## Khadirarishta

## Useful in all types of Kushtha

#### Effective in-

- Vicharchika
- Ekakushtha
- · Pama



- Granthi
- · Pandu







# Kutajarishta

## **Excellent Kalpa in Grahani and Atisar**

## Effective in:

- Atisar
- Raktatisar
- Jeernatisar
- Dosage & Anupan :

2 to 4 tsf (10 to 20 ml) 2-3 times a day with equal quantity of lukewarm water



# Saraswatarishta

## Medhya Rasayan for all age groups

#### Effective in-

- Smrutimandva
- Nidralpata
- Decrased concentration
- Unmada, Apasmar



Lakshan seen in menopausal stage such as

- Irritation
- Anxiety

· Pravahika.

Sangrahani

Mental stress

#### Dosage & Anupan :

2 to 4 tsf (10 to 20 ml) 2 times a day with equal quantity of lukewarm water.





# Beneficial in Krumi and Krumijanya Vikar

## Effective in:

- Vidradhi
- Purishaj Krumi and associated lakshan such as
- Gandamala
- Pandu Vaivarnya
- Bhagandar
- Twak Dushti
- Udarshool

Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) twice a day with equal quantity of lukewarm water.











## Bhoonimbadi Kadha

## Useful in Amlapitta and related symptoms

#### Effective in:

- Amlanitta
- · Chhardi
- Udarshool
- Trushnadhikya
- Daha
- Sheetapitta

#### Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) twice a day with equal quantity of lukewarm water.



# **Bruhat Varunadi Kadha**

## Beneficial in Ashmari Bhedan

#### Effective in:

Ashmari and related

Mootradaha

- Mootrakruchchhra
  - Adhodar Shool
  - Katishool



#### Dosage & Anupan :

2 to 4 tsf (10 to 20 ml) twice a day with equal quantity of lukewarm water



# Gokharu (Trikantakadi) Kadha

## Kadha useful in Mootravaha Srotas Vikar

#### Effective in:

- Mootrakruchchhra
- Mootrashmari
- Mootradaha
- · Bastishotha

## Dosage & Anupan :

2 to 4 tsf (10 to 20 ml) twice a day with equal quantity of lukewarm water.



# Mahamanjishthadi Kadha

## Raktashodhak Kadha useful in Twacha Vikar

## Effective in:

- Vicharchika
- Ekakushtha
- Mukhasdooshika
- Arunshika
- Vatarakta
- · Shleepada



#### Dosage & Anupan:

2 to 4 tsf (10 - 20 ml) 2-3 times a day with equal quantity of lukewarm water.







## Maharasnadi Kadha

## Useful in Samayastha of Amayata

#### Effective in-

- Amayata
- Sandhigata Vata
- Grudhrasi





- · Vishvachi, Avabahuk
- Pakshaghata

#### Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2-3 times a day with equal quantity of lukewarm water.





## Mahasudarshan Kadha

## **Excellent Amapachak in Jwaravastha**

Effective in:

Lakshan associated with Jwar such as

- Angamarda
- Netradaha

- · Hastapadatala Daha
- · Agnimandya
- Pratishvav

Yakrut-Pleeha Vruddhi



Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2 to 3 times a day with equal quantity lukewarm water.

# Pathyadi Kadha

## Beneficial in Shirorog

- Effective in:
- Survavartak
- Ardhavbhedak
- · Jeerna Pratishyay



- Peenas
- Netrapatal Vvadhi

#### Dosage & Anupan:

2 to 4 tsf (10 to 20 ml) 2 times a day with equal quantity of lukewarm water.





# Rasnasaptak Kadha

## Lakshan related to Samavastha of Vatavikar

Effective in:

Lakshan related to Samavastha of Vatavikar such as

- Sandhigraha
- Sandhishotha

#### Dosage & Anupan:

2 to 4 tsf (10 - 20 ml) 2-3 times a day with equal quantity of lukewarm water.

- Sandhishool
- Angagaurav
- Agnimandya



SDS Managraph No. 100104 Fashasaphik Katha







# **Avipattikar Choorna**

## A mild laxative for Pitta Dushti and constination



#### Effective in-

- Agnimandya
- Amlapitta
- e Pandu

- Sheetapitta
- Arsha
- Mala-Mootra Vihandha

#### Dosage & Anupan:

1 to 2 tsf (5 to 10 gm) or 4 to 6 tablets twice or thrice a day with lukewarm water



# Bhaskar Lavana Choorna

## **Excellent Amapachak and Agnideepak Choorna**

#### Effective in:

- Agnimandva
- Aieerna
- Grahani
- Udarashoola
- · Arsha
- Malavibandha
- Kushtha
- · Krumi





#### Dosage & Anupan :

1 to 2 tsf (5 to 10 gm) or 4 to 6 tablets 2-3 times a day with buttermilk or lukewarm water.

# Chousashta Pippali



#### Effective in:

- · Kas
- Shwas
- Hikka

- · Agnimandva
- Rajavakshma
- Parshwashoola

## Dosage & Anupan :

125 - 250 mg 2 times a day with honey or lukewarm water.



bree Chordan spechwar Standard: SDS Monoscon No. 939921



# **Dhatupoushtik Choorna**

## Kalpa useful in Dhatu Poshan and Balya

## Effective in:

वीसप्र पिप्पली

- Dhatukshava developed after chronic disease
- Karshva
- Agnimandva
- SDS Morograph No. 030021 Distriction of the Charmers
- Shukrakshava
- Vandhvatva
- · Agnimandya

## Dosage & Anupan:

1/2 to 1 tsf (3 - 6 gm) or 2 to 4 tablets twice a day with milk or lukewarm water







# Haridrakhanda Choorna

## Useful in Skin disorders like Sheetapitta and Udarda

#### Effective in-

- Sheetapitta
- Udarda
- Vicharchika Jeernaiwar
- Pandu
- · Krumi

Kotha





1 tsf (5 gm) or 4 to 6 tablets twice or thrice a day with milk, lukewarm water or as directed by the Physician.



# **Hingwashtak Choorna**



## Beneficial in Aieerna, Adhman, etc

Effective in:

- Agnimandva
- Aieerna
- Adhman

Dosage & Anupan :

1 to 2 tsf (5 to 10 gm) or 4 to 6 tablets 2 - 3 times a day with cow ghee along with first morsel of food or with lukewarm water



# Pushvanuga Choorna

## **Excellent Rakta Stambhak Yog**

## Effective in:

- Atvartava
- Raktapradar
- Shwetapradar
- Yonidosha
  - Raktarsha
  - Raktatisar



#### Dosage & Anupan:

1 to 2 tsf (5 to 10 gm) or 4 to 6 tablets twice or thrice a day with Ashokarishta or rice water.



# Sitopaladi Choorna



## Beneficial in Pitta Pradhan Vikar of Effective in: Pranavaha Srotas

- · Pittapradhan Kas-Shwas · Agnimandya
- Arochak

· Udar Shoot

Vatavikar

- · Hastapadatala Daha
- Urdhwaga Raktapitta

#### Dosage & Anupan:

1 to 2 tsf (5 to 10 gm) or 4 to 6 tablets twice or thrice a day with honey, cow Ghee or lukewarm water.







# Swadishta Virechan Choorna

## **Excellent Mrudu Virechak Kalpa**



#### Effective in-

- Malavihandha
- Arsha
- Amavikar
- · Tvachavikar (Skin diseases)

#### Dosage & Anupan:

1 tsf (5 gm) once or twice a day after food with lukewarm water



# Taleesadi Choorna

## Useful in Vata-Kapha Pradhan Shwas-Kas

#### Effective in:

- Kaphaia Kas
- Shwas
- Aruchi

- Shushka Kas
- Agnimandva
- · Pleeha Vruddhi



#### Dosage & Anupan:

1 to 2 tsf (5 to 10 gm) or 4 to 6 tablets twice or thrice a day with honey, Ardrak Swaras or Likewarm water



# **Triphala Choorna**

## Useful in Malavihandha and related Vikar

#### Effective in:

- Effective in.
- · Malavibandha · Agnimandya
- · Drushtimandya

- Prameha
- · Aruchi

Netra Araktata



· Netraroga like Netradaha

#### Dosage & Anupan:

1 to 2 tsf (5 to 10 gm) or 4 to 6 tablets twice or thrice a day alongwith honey & cow Ghee in unequal quantity or with lukewarm water.





# **Gandharva Haritaki**

#### **Excellent Mrudu Virechak**

#### Effective in:

Malavashtambha

Amayata

· Twacha Vikar



#### Dosage & Anupan:

1 to 2 tablets 2 times a day with warm water or as directed by the Physician.







# **Anu Taila**

#### Oil useful for Nasva

#### Effective in-

Urdwaiatrugat Vikar like

- Shirahshool
- Ardhavabhedak
- Peenas



Manyastambha

- Khalitva, Palitva
- Allergic Rhinitis



# Dosage:

2 drops in each nostril once or twice a day

# AYUSH-64 Tablets

#### Useful in infectious diseases such as Malaria



For Malaria: 4 tablets of 500 mg thrice a day. after meals for 5-7 days or as directed by the Physician, For asymptomatic COVID - 19 patients: 2 tablets of 500 mg twice a day, one hour after meals with warm water for 20 days or as directed by the Physician. For mild to moderate COVID - 19 patients: 2 tablets of 500 mg thrice a day, one hour after meals with warm water for 20 days or as directed by the Physician

#### Effective in-

- · Sankramanianya Jwar such as
- Symptomless or Covid 19 with mild symptoms



# AYUSH KWATH Dispersible Tablets

# For boosting immunity

as per directions of Ayush Ministry, Government of India.

#### Effective in:

आराध-६४

- · Improves immunity
- · Improves functions of digestive system
- Stops formation of Vikrut Kapha
- Gives relief from cold, cough. throat irritation etc.



1 to 6 tablets to be taken twice a day. Dose to be decided according to Bala (strength). Please consult your Ayurved physician to decide proper dose







# Gulkand

# Natural Pittashamak and Dahanashak

#### Effective in:

Lakshan developed due to excessive heat in body -

- Mukhapaka
- Netradaha
- Urah and Udardaha
- · Daha in Gudapradesh
- Malavibandha

#### Dosage & Anupan:

1 - 2 tsf morning-evening with milk or Ghee















# Useful hair oil for Shirobhyanga

#### Effective in-

- · Premature greving of hair
- Dandruff Hairfall
  - Itching of scalp

#### Directions for use :

Massage sufficient quantity of Kanchan hair oil onto the scalp with fingertips, leave it atleast for an hour preferably overnight for better results, wash it off with mild soap. Use it daily or regularly atleast twice a week for 6-8 weeks for optimum results





Splitends

# Mahasudarshan Ghana Vati

# Kalpa useful in treatment of Jwar

#### Effective in-

- · Nava Jwar
- · leerna lwar
- Vishama Jwar
- Sankramak Jwar
- Iwaravastha of **Amayata**



#### Dosage & Anupan :

1 to 2 tablets 2 times a day with Amrutarishta. Maharasnadi Kadha, Pathyadi Kadha or lukewarm water

# Nishamalaki

# Beneficial in Prameha

## Effective in:

Prameha and its Upadrava like

- Netragata Vikruti
- · Frequent urination
- Vatanadi Vikruti
- Dourbalya
- Twacha Vikar
- Vrukka Vikruti
- Dushta Vrana

#### Dosage & Anupan:

Tablet - 1 to 2 tablets 2 to 3 times a day with lukewarm water or as directed by the Physician. Liquid - 15 ml (1 tablespoonful) two times a day with lukewarm water or as directed by the Physician.













# **Amla Plus Tablets**

#### **Excellent in maintaining physical** strength and immunity

#### Effective in-

- Improves physical strength
- Improves immunity
- · Provides nutrition to body tissues





Directions for use . 1 to 2 Tablets 2 times a day with lukewarm water or as directed by the Physician.

# Amla Plus with Zinc

Excellent Rasavan with added benefits of Yashada Rhasma

#### Effective in:

- Improves physical strength
- · Improves immunity
- · Useful in respiratory disorders
- · Provides nutrition to body tissues
- · Beneficial in maintaining eve health



# **Dhootapapeshwar Pain Relief Liniment** Beneficial in Acute pain

#### Effective in:

- Acute musculo-skeletal pain
- · Joint pain

Pain Relief

Oil

Sprains



#### Directions for use:

Necessary quantity of liniment should be taken and applied on the affected part and massaged gently for a little while. Liniment should not be applied vigorously. Liniment application can be followed by hot water fomentation as it helps to relieve pain and stiffness.



# **Dhootapapeshwar Pain Relief Oil**

# Beneficial in Acute and Chronic pain

#### Effective in-

 Acute and chronic musculo skeletal pain

- · Joint pain Sprains
- Tingling and numbness

#### Directions for use:

One can use the Oil after warming it by keeping the bowl in hot water. Apply the oil to the affected part with gentle massage. The Oil application can be followed by hot water fomentation, as it helps to relieve pain and stiffness.











# Drakshovin

## Supreme Health Tonic

#### Effective in:

- Agnimandya
- Aieerna
- Adhman
- · Physical and mental debility

#### Smrutimandya

- · Kas-Shwas
- · Rajayakshma, Karshya

#### Dosage & Anupan:

3 to 4 tsf (15 to 20 ml) twice a day with equal quantity of water after meal.



# Shatavari Kalpa Granules

# Useful in All stages

#### Effective in:

Prepared from Natural Khus/Vala

- During pregnancy & post-delivery for mother as well as foetus
- · Garbhasrava, Garbhapata
- Raktapradar
   Irregular menses

SheetaSudha

- Stanyayardhak in Postnatal period
- · Physical & mental debility
- Excellent Dhatuposhak in children and elderly people



## Dosage & Anupan:

1 to 2 tsf twice a day with milk



# Sheeta Sudha<sup>®</sup>

# Cooling & Refreshing

#### Effective in:

- Mootradaha
- · Burning sensation all over body
- Excessive thirst
   Dosage & Anupan :

# Difficulty in micturition

SOS Monograph Nn. 670248

- Jwar
- · Fatigue due to heat



2 tsf (30 ml) in a glass of water or milk

# An Ideal Saptadhatuposhak

#### Effective in:

- · Premature ejaculation
- Nocturnal emission
- Indriya Shaithilya
- · Manodourbalya
- Klaibya
- Shukra Ksheenatajanya Napunsakata
- · Maithun Akshamata

#### Dosage & Anupan:

1 to 2 tablets 2 times a day with milk.





nice Oheetapapeshwa: Standard SDS Monograph No. 9700074 SHIZO XVING









# SWAMABA

Proprietary

# Total Health for all seasons

Imparts strength to all body tissues

Helps to improve immunity

Maintains health

Improves vigour and vitality

Strengthens respiratory system

Helps to keep away recurrent health problems

# Dosage & Anupan

Adults – 1 tablespoonful morning and evening on empty stomach or according to the Agnibala

Children above 12 yrs. – 1 teaspoonful twice a day or according to Agnibala





2 spoons a day, Health all the way!









# AMALAKI Tablet

#### Health and Immunity enhancer



#### Effective in-

- Prameha
- Khalitya
- Palitya
- Alpavvadhikhsmatva
- · Early ageing
- Amlapitta

Dosage & Anupan:

1 to 2 tablets 2 times a day with lukewarm water.



# ARJUNA Tablet

#### **Heart Care**

#### Effective in:

Lakshana associated with Hrudrog such as

Avasena Shwas



#### · Shotha

Dourbalya

Vikrut Meda Vruddhi

#### Dosage & Anupan :

1 to 2 tablets 2-3 times a day with milk or lukewarm water.



# ASHVAGANDHA Tablet

# Physical and mental well being

Effective in:

- Physical debility
- Mental fatigue
- Low immunity
- Shukra Dhatukshav
- · Sandhi Vedana

#### Dosage & Anupan:

1 to 2 tablets 2 to 3 times a day with milk or lukewarm water



# ASTHISAMRHUTA (HAD JOD) Tablet

#### Bone care

#### Effective in:

- Sandhishool
- Asthishool
- Asthibhagna
- Asthidhatvagnimandya



#### Dosage & Anupan:

1 to 2 tablets 2 to 3 times a day preferably with milk or lukewarm water.







# **BRAHMI** Tablet

#### Brain and mind care

#### Effective in-

Manodourbalvajanya Vikar such as

Starge Disconceages have Standards

EGE Moragraph No. 210061

- Anxiety
- Insomnia



- Mental irritability
- Wavering mind



1 to 2 tablets 2 to 3 times a day with milk or lukewarm water.



# GOKSHURA Tablet

## Urinary tract care



#### Effective in:

Mootravaha Srotas Vikar such as

- Mootrakruchchra
- Mootrashmari
- Bastishotha

Dosage & Anupan : 1 to 2 tablets 2 times a day with lukewarm water Shotha Jeerna Asvastha of Amavata



# **GUDUCHI** Tablet

### **Immunity and Liver care**

#### Effective in:

- · Yakrut Vikruti due to Vishamiwar
- · Improves Liver functions
- · Useful in Medodushti Vikar like Sthoulya, Prameha



#### Dosage & Anupan:

1 to 2 tablets 2 times a day with lukewarm water.



# KUNDURU (SHALLAKI) Tablet

#### Joint care



#### Effective in:

Symptoms of Sandhi Vikruti like

· Sandhi Shotha

#### Dosage & Anupan :

1 to 2 tablets 2 times a day with lukewarm water.

- Sandhi Shool
- · Sandhi Graha







# NIMBA (NEEM) Tablet

#### Skin Care



#### Effective in-

Raktadushtijanya Vikar such as

- · Mookhadushika
- Mukhapak

Dosage & Anupan:

1 to 2 tablets 2 times a day with

- Pama
- Kacchu



# SHATAVARI Tablet

#### Women care

#### Effective in:

- Emaciation
- · Reduced quantity of breast milk
- Debility
   Anxiety, Stress





#### Dosage & Anupan :

1 to 2 tablets twice a day with cow milk.

# TULASI Tablet

# Immunity and Respiratory care

#### Effective in:

Respiratory diseases such as

- Vatakaphapradhan cough
- Breathlessness

Loss of Appetite Bloating

Dosage & Anupan:

1 to 2 tablets 2 times a day with lukewarm water.



Parshwashoola





No artificial colours



Not tested on animals



No artificial flavours



No artificial sweetner



No preservatives



Sustainable Sourcing



Do not refrigerate



Store in 15° to 25°C



Authorized for sale in India













Shree Dhootapapeshwar Limited

135, Nanubhai Desai Road, Khetwadi, Mumbai - 400 004. Tel.: +91-22-6234 6300 / +91-22-2382 5888 Toll Free: 1-800-2 AYUSH (Dial AYUSH as in 29874 during working hrs 9.00 to 17.00)

Product Information Booklet/N/1122

For the use only of a Registered Medical Practitioner or a Hos